

**Ram  
mer®**

RD3 &  
MYFLEET

**RAMMER**  
3288E

**HIT YOUR  
TARGETS**

# MAKE SURE ALL YOUR HAMMERS ARE PRODUCTIVE

Make sure all your hammers are productive with Rammer's RD3 remote monitoring system. The RD3 gathers your hammers' data and MyFleet makes it easy to understand.

RD3 is available for all Rammer hammers and can also be retrofitted, even to older Rammer hammers. With RD3, we introduced the industry's first remote monitoring system, and we made the world's most-respected hydraulic hammers even better.



MAXIMUM FLEET PRODUCTIVITY

HIGHER UTILIZATION RATES

OPTIMUM MAINTENANCE INTERVALS

BETTER CUSTOMER SERVICE

TRACK THE PERFORMANCE OF ALL YOUR RAMMER HAMMERS WITH RD3 & MYFLEET

### Get more from every hammer

Use RD3 and MyFleet to follow and improve the performance and profitability of your whole fleet. See the status of all your hammers at a glance. With this data you'll achieve superior fleet management compared to standard tools, make your processes more efficient and, of course, you will profit more.

### RD3 – Ready-to-use monitoring



The RD3 remote monitoring system makes remote monitoring easy. The RD3 is attached securely to your Rammer hammer and monitors daily work hours, impact periods, service intervals, GPS location and much more.

- Reliable data gathering
- Proven in the field, proven reliability
- Used by customers around the world

### MyFleet – Improve hammer availability

MyFleet lets you access your hammers' data from anywhere, at any time. Manage your fleet better with MyFleet. Use the detailed service indicators to plan and optimize maintenance intervals, and improve hammer availability. Use GPS location tracking to track every hammer and streamline your logistics and spare parts deliveries, and reduce your overall costs.

- Access hammer data from anywhere, at any time
- Accurate and up-to-date information
- GPS tracking
- Use on any device, on any web browser



## SPECIFICATIONS

Battery life time	Typically 3000 reports based on 1 report/day
Battery type	Primary lithium, 7,8 Ah, built-in, encapsulated
Temperature, operating	-20°C to 85°C (-4°F to 185°F)
Temperature, storage	-40°C to +85°C (-40°F to 185°F)
Network technology	3G/GSM, penta-band (850/900/1800/1900/2100 MHz)
Sensors	Position, Motion, Tilt, Temperature, Utilization, 3-axis Shock
Antenna, GPS	Internal
Antenna, 3G/GSM	Internal
IP rating	IP69k
ADR	UN3091
Lithium content	2 gram



## FOR ALL RAMMER HAMMERS

Get more from your Rammer hammers. The RD3 is available factory-fitted as standard with the Excellence Line and as an option with Performance Line hammers.

The RD3 can even be retrofitted to older models by your local Rammer dealer, so you can take all your trusted Rammer hammers into the digital age.

1300 921 498 | [sales@trswa.com.au](mailto:sales@trswa.com.au) | [totalrockbreaking.com.au](http://totalrockbreaking.com.au)  
13 - 15 Panama Street, Canning Vale WA 6155



**TRS** Total  
Rockbreaking  
Solutions

ADVICE AND SUPPORT YOU CAN TRUST

**Ram  
mer®**